

DOWDY,GEORGE

DOB: 10/18/1945	Age: 77	Specimen: TZ024382J	Collected: 07/14/2023 08:16	Client #: 66002344
Sex: M	Fasting: Y	Requisition: 0014843	Received: 07/14/2023 08:20	WHITESIDE,AMAPOLA
Phone: (407) 739-6491		Report Status: FINAL / SEE REPORT	Reported: 07/15/2023 15:40	CENTRAL FLORIDA KIDNEY
Patient ID: 498492				SPECIALISTS
				1552 BOREN DR STE 200
				OCOOE, FL 34761-4216
				Phone: (407) 905-8172
				Fax: (407) 905-8878

FASTING:YES ; AN UPDATE OR CORRECTION HAS BEEN MADE TO NAME

**▲ COMPREHENSIVE METABOLIC PANEL**

Analyte	Value	
<b>▲ GLUCOSE</b>	<b>109 H</b>	Reference Range: 65-99 mg/dL
Fasting reference interval		
For someone without known diabetes, a glucose value between 100 and 125 mg/dL is consistent with prediabetes and should be confirmed with a follow-up test.		
UREA NITROGEN (BUN)	<b>18</b>	Reference Range: 7-25 mg/dL
CREATININE	<b>1.09</b>	Reference Range: 0.70-1.28 mg/dL
EGFR	<b>70</b>	Reference Range: > OR = 60 mL/min/1.73m2
The eGFR is based on the CKD-EPI 2021 equation. To calculate the new eGFR from a previous Creatinine or Cystatin C result, go to <a href="https://www.kidney.org/professionals/kdoqi/gfr%5Fcalculator">https://www.kidney.org/professionals/kdoqi/gfr%5Fcalculator</a>		
BUN/CREATININE RATIO	NOT APPLICABLE	Reference Range: 6-22 (calc)
SODIUM	<b>137</b>	Reference Range: 135-146 mmol/L
POTASSIUM	<b>3.9</b>	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	<b>101</b>	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	<b>28</b>	Reference Range: 20-32 mmol/L
CALCIUM	<b>9.4</b>	Reference Range: 8.6-10.3 mg/dL
PROTEIN, TOTAL	<b>6.7</b>	Reference Range: 6.1-8.1 g/dL
ALBUMIN	<b>4.2</b>	Reference Range: 3.6-5.1 g/dL
GLOBULIN	<b>2.5</b>	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	<b>1.7</b>	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	<b>0.7</b>	Reference Range: 0.2-1.2 mg/dL
ALKALINE PHOSPHATASE	<b>39</b>	Reference Range: 35-144 U/L
AST	<b>23</b>	Reference Range: 10-35 U/L
ALT	<b>29</b>	Reference Range: 9-46 U/L

**▲ PTH, INTACT WITHOUT CALCIUM**

Analyte	Value
---------	-------

**▲ PARATHYROID HORMONE, INTACT****15 L** Reference Range: 16-77 pg/mL

Interpretive Guide	Intact PTH	Calcium
Normal Parathyroid	Normal	Normal
Hypoparathyroidism	Low or Low Normal	Low
Hyperparathyroidism		
Primary	Normal or High	High
Secondary	High	Normal or Low
Tertiary	High	High
Non-Parathyroid		
Hypercalcemia	Low or Low Normal	High

**ABN TEST REFUSAL**

Analyte	Value
RAM	
Be advised that your patient has indicated on the advance beneficiary notice their decision not to receive the following laboratory tests. As a result, the tests will not be performed.	
ABN TEST REFUSED	17306,3020

**PHOSPHATE (AS PHOSPHORUS)**

Analyte	Value
PHOSPHATE (AS PHOSPHORUS)	<b>4.0</b> Reference Range: 2.1-4.3 mg/dL

**PROTEIN, TOTAL W/CREAT, RANDOM URINE**

Analyte	Value
CREATININE, RANDOM URINE	<b>112</b> Reference Range: 20-320 mg/dL
PROTEIN/CREATININE RATIO	<b>125</b> Reference Range: 25-148 mg/g creat
PROTEIN/CREATININE RATIO	<b>0.125</b> Reference Range: 0.025-0.148 mg/mg creat
PROTEIN, TOTAL, RANDOM UR	<b>14</b> Reference Range: 5-25 mg/dL

**CBC (H/H, RBC, INDICES, WBC, PLT)**

Analyte	Value
WHITE BLOOD CELL COUNT	<b>7.3</b> Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	<b>5.16</b> Reference Range: 4.20-5.80 Million/uL
HEMOGLOBIN	<b>15.0</b> Reference Range: 13.2-17.1 g/dL
HEMATOCRIT	<b>44.8</b> Reference Range: 38.5-50.0 %
MCV	<b>86.8</b> Reference Range: 80.0-100.0 fL
MCH	<b>29.1</b> Reference Range: 27.0-33.0 pg
MCHC	<b>33.5</b> Reference Range: 32.0-36.0 g/dL
RDW	<b>12.9</b> Reference Range: 11.0-15.0 %
PLATELET COUNT	<b>253</b> Reference Range: 140-400 Thousand/uL
MPV	<b>9.1</b> Reference Range: 7.5-12.5 fL

**Performing Sites**

TP Quest Diagnostics-Tampa, 4225 E Fowler Ave, Tampa, FL 33617-2026 Laboratory Director: Weston H Rothrock MD

## Key

---

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

